



Imasco Minerals Inc.

MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT IDENTIFICATION AND USE			
PRODUCT IDENTIFIER: Imasco Custom Colour/ Artisan Colour			
TRADE NAME: Imasco Custom Colour			
PRODUCT USE: Colour for exterior finish coat stucco			
MFG'S NAME: Imasco Minerals Inc.		SUPPLIER'S NAME: Imasco Minerals Inc.	
STREET: 19287 - 98A Avenue		STREET: 19287 - 98A Avenue	
CITY: Surrey	PROVINCE: British Columbia	CITY: Surrey	PROVINCE: British Columbia
P.C. V4N 4C8	EMERGENCY TEL.NO: 8AM-5PM Weekdays (604) 888-3848	P.C. V4N 4C8	EMERGENCY TEL.NO: 8AM-5PM Weekdays (604) 888-3848
SECTION 2 - HAZARDOUS INGREDIENTS			
INGREDIENTS	CAS NUMBER	LD ₅₀ OF INGREDIENT (SPECIFY SPECIES & ROUTE)	LC ₅₀ OF INGREDIENT (SPECIFY SPECIES)
Iron oxide	1308-37-1	N/A	N/A
SECTION 3 - PHYSICAL DATA			
PHYSICAL STATE: Solid	ODOUR & APPEARANCE: Odourless powder any colour		ODOUR THRESHOLD (ppm): N/A
VAPOUR PRESSURE (mm Hg): N/A	VAPOUR DENSITY (AIR=1): N/A	EVAPORATION RATE N/A	BOILING POINT (°C) N/A
pH: N/A	SPECIFIC GRAVITY: Not Known	COEFF. WATER/OIL DIST. N/A	SOLUBILITY IN WATER: Slight
SECTION 4 - FIRE AND EXPLOSION DATA			
FLAMMABILITY: YES _ NO <input checked="" type="checkbox"/> IF YES, UNDER WHICH CONDITION:			
MEANS OF EXTINCTION: N/A (non-flammable)			
FLASHPOINT (°C) AND METHOD: N/A	UPPER FLAMMABLE LIMIT (% BY VOLUME): N/A	LOWER FLAMMABLE LIMIT (% BY VOLUME): N/A	
AUTOIGNITION TEMPERATURE (°C): N/A	HAZARDOUS COMBUSTION PRODUCTS: N/A		
EXPLOSION DATA: SENSITIVITY TO IMPACT: N/A		SENSITIVITY TO STATIC DISCHARGE: N/A	

SECTION 5 - REACTIVITY DATA

PRODUCT IDENTIFIER: Imasco Custom Colour/ Artisan Colour

CHEMICAL STABILITY: YES NO IF NO, UNDER WHICH CONDITIONS:INCOMPATIBILITY WITH OTHER SUBSTANCES: YES NO IF SO WHICH ONES:

REACTIVITY, AND UNDER WHAT CONDITIONS: N/A

HAZARDOUS DECOMPOSITION PRODUCTS: N/A

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 6 - TOXICOLOGICAL PROPERTIESROUTE OF ENTRY: SKIN CONTACT SKIN ABSORPTION EYE CONTACT INHALATION INGESTION

EFFECTS OF ACUTE EXPOSURE TO PRODUCT: Can cause dry skin and irritate the eyes and upper respiratory system. Ingestion can cause irritation of the throat

EFFECTS OF CHRONIC EXPOSURE TO PRODUCT: As is true with any mineral product, long-term over-exposure to high concentration of this dust without the use of a dust mask may produce x-ray evidence of dust in the lungs. Continued long-term over-exposure may effect respiratory function in some individuals

EXPOSURE LIMITS:
TLV iron oxide
5mg/m³IRRITANCY OF PRODUCT:
Can irritate eyes &
upper respiratory
systemSENSITIZATION TO PRODUCT:
Hypersensitive people
may develop allergic
dermatitisCARCINOGENICITY:
Not a carcinogen.TERATOGENICITY:
N/AREPRODUCTIVE TOXICITY:
N/AMUTAGENICITY:
N/ASYNERGISTIC PRODUCTS:
Not known**SECTION 7 - PREVENTIVE MEASURES**

PERSONAL PROTECTIVE EQUIPMENT: Use all as specified

GLOVES (SPECIFY): Wear gloves
impervious to moistureRESPIRATOR (SPECIFY): Wear a respirator
approved by NIOSH if dust
level exceeds TLVEYE (SPECIFY): Tight-fitting
protective goggles in dusty
environments.FOOTWEAR (SPECIFY): Impervious to
moistureCLOTHING (SPECIFY): Impervious to
moistureOTHER (SPECIFY): Barrier cream on
exposed skin

ENGINEERING CONTROLS (SPECIFY, EG. VENTILATION, ENCLOSED PROCESS): Ventilation should be sufficient in volume and distribution to maintain dust exposure below the TLV levels

LEAK AND SPILL PROCEDURE: Remove by dry cleanup methods that minimize the dispersion of dust. Avoid breathing the dust.

WASTE DISPOSAL: Product should be disposed of in accordance with applicable local, Provincial and Federal regulations.

HANDLING PROCEDURES AND EQUIPMENT: Minimize dust exposure.

STORAGE REQUIREMENTS: Store in a dry cool place.

SPECIAL SHIPPING INFORMATION: None

SECTION 8 - FIRST AID MEASURES

PRODUCT IDENTIFIER: Imasco Custom Colour/ Artisan Colour

SPECIFIC MEASURES:

Skin: Wash exposed areas of the body with large amounts of water. Remove and wash contaminated clothing.

Eyes: Wash eyes immediately with running water for 15 minutes, including under eyelids. Seek immediate medical attention.

Inhalation: Move person to fresh air and seek medical attention.

Ingestion: **DRINK LARGE AMOUNTS OF WATER.** Do not induce vomiting. Seek immediate medical attention.

SECTION 9 - PREPARATION DATE OF MSDS

The information contained herein is based on data considered true and accurate to the best reasonably available information. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. Imasco Minerals Inc. assumes no responsibility for personal injury or property damage to vendors, users or third parties caused by the material. This information is offered solely for informational purposes and is subject to your own independent investigation and verification.

PREPARED BY (GROUP, DEPARTMENT, ETC.):
Technical Support Department

PHONE NUMBER:
(604) 888-3848

DATE:
January 1, 2015